


CHM 3400 – Problem Set 10

Due date: Friday, April 17th, via email, by midnight. NOTE: The final exam will be distributed at 5:00pm on Monday, April 20th, and will be due at 5:00pm on Wednesday, April 22nd. The exam is comprehensive
Do all of the following problems. Show your work.

“Your mother cooked with the precision of a chemist”- Lionel Shriver

- The work function for rubidium metal is $\Phi = 2.09 \text{ eV}$ ($1 \text{ eV} = 1.602 \times 10^{-19} \text{ J}$).
 - What is the value for λ_0 , the critical wavelength, for rubidium metal? Give your final answer in nm.
 - In a photoelectron experiment, rubidium metal is illuminated with monochromatic light of wavelength $\lambda = 400.0 \text{ nm}$. Will electrons be produced? If your answer is YES, find the maximum kinetic energy for the emitted electrons (in both J and eV), and the maximum speed of an emitted electron (in m/s). Note $m_e = 9.109 \times 10^{-31} \text{ kg}$.
- One of the two visible emission lines in the spectrum of atomic sodium occurs at $\lambda = 589.6 \text{ nm}$. Find the following:
 - The energy of one photon with wavelength $\lambda = 589.6 \text{ nm}$, in units of cm^{-1} .
 - The energy of one photon with wavelength $\lambda = 589.6 \text{ nm}$, in units of J.
 - The energy of one mole of photons with wavelength $\lambda = 589.6 \text{ nm}$, in units of kJ/mol.
- The experimental value for the rotational constant for the $^{12}\text{C}^{16}\text{O}$ molecule is $B = 1.9313 \text{ cm}^{-1}$. Based on this, find the following:
 - The energy (in cm^{-1}) and frequency (in GHz, $1 \text{ GHz} = 10^9 \text{ Hz} = 10^9 \text{ s}^{-1}$) at which the $J = 3 \rightarrow J = 4$ rotational transition will occur in $^{12}\text{C}^{16}\text{O}$.
 - The equilibrium bond length (r_e) for a $^{12}\text{C}^{16}\text{O}$ molecule. Give your final answer in nm. Note the following:
 $m(^{12}\text{C}) = 12.0000 \text{ amu}$ $m(^{16}\text{O}) = 15.9949 \text{ amu}$
 $1 \text{ amu} = 1.6605 \times 10^{-27} \text{ kg}$
- The experimental value for the vibrational constant for the $^{12}\text{C}^{16}\text{O}$ molecule is $\omega_e = 2170.2 \text{ cm}^{-1}$. Based on this, find the value for k , the force constant, for the $^{12}\text{C}^{16}\text{O}$ bond. Give your final answer in Nt/m. Data for the masses of the ^{12}C and ^{16}O atoms are given in the previous problem.

5) For the process



What is the longest wavelength of light capable of breaking the C – H bond in methane? Assume that all of the energy for breaking the bond comes from the photon that is absorbed, and that the energy to break the bond is equal to ΔH_{rxn} .

GENERAL HINT – In most of the above problems you need to pay careful attention to dimensional analysis, so that your answers are in correct units.